

REQUEST FOR QUOTATION

To:
Seller's name and address

.....

Quotation No NYCG/Q284/2016-2017

Date...**10/05/2017**.....

From:
Buyer's Designation and Address

County Government of Nyamira
 Supply Chain Management Office,
 P.O. Box 434-40500 **NYAMIRA**

You are invited to submit a Quotation on materials listed below:

Notes:
 costs for

- (a) THIS IS NOT AN ORDER. Read the conditions and instructions on reverse before quoting.
- (b) This quotation should be submitted in a plain wax sealed envelope marked "Quotation No. for supply of **.PLAYFIELDS UPGRADING** and be addressed to reach the buyer or placed in the Quotation/Tender box not later than 9.30 a.m. on**16/05/2017**.....

- (c) Your Quotation should indicate final unit price which includes all delivery, discounts duty and sales tax
- (d) Return the original copy and retain the duplicate for your record.
- (e) Attach proof of KRA registration VAT/PIN certificates
- (f) Attach Business registration/Incorporation of company certificate.
- (g) Fill the attached S33 form.
- (h) Tax Compliance certificate copy
- (i) Attach prove of past experience of similar services/works

Code No.	Item Description	Quoted Amount	Remarks
	Please quote as per the attached BQ for Magombo Ward - Bogwendo Primary School		

FOR OFFICIAL USE ONLY

Opened by: (1) Designation Signature

(2) Designation Signature

(3) Designation Signature

(4) Designation Signature

CONDITIONS

1. The General Conditions of Contract with Government of Kenya apply to this transaction. This form properly submitted constitutes the entire agreement.
2. The offer shall remain for 30 days from the closing date unless otherwise stipulated by the seller.
3. The buyer shall not be bound to accept the lowest or any other offer, and reserves the right to accept any offer in part unless the contract is stipulated by the seller.
4. Samples of offers when required will be provided free, and if not destroyed during tests will, upon request, be Returned at the seller's expenses.

INSTRUCTIONS

1. All entries must be typed or written in ink. Mistakes must not be erased but should be crossed out and corrections be made and initiated by the person signing the quotation.
2. Quote on each item separately, and in units as specified.
3. This form must be signed by a competent person and preferably it should be also rubber stamped.
4. Each quotation should be submitted separately in a sealed envelope with the quotation Number endorsed on the outside. Descriptive literature or samples of items offered may be forwarded with the quotation.
5. If you do not wish to quote, please endorse the reason on this form and return it, otherwise your name may be deleted from the buyer's mailing list for the items listed hereon.

PLAY FIELDS FOR UPGRADING IN COUNTY WARDS

REPUBLIC OF KENYA



DEPARTMENT OF TRANSPORT, ROADS AND PUBLIC WORKS

**PROPOSED FENCING, GATE,
LEVELLING AND GOAL POSTS**

AT

BOGWENDO PRIMARY SCHOOL(MAGOMBO WARD)

PREPARED BY:

COUNTY WORKS OFFICE,

P.O BOX 27-40500, NYAMIRA.

	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	<u>LEVELLING AND GOAL POSTS</u>				
	<u>Levelling</u>				
A	Prepare ground and import loam soil and to receive grass,water and maintain till maturity.	10,800	S.M		
	<u>Goal posts (Football, Netball and Volleyball)</u>				
B	Fabricate,deliver and install international fibre standard measurement or other approved alternative (measurement to be determined on site)	10	No		
	TOTAL FOR DRAINAGE AND LEVELLING CARRIED TO GRAND SUMMARY				

GRAND SUMMARY

ITEM	DESCRIPTION	PAGE	OFFICIAL USE	TENDERER'S USE
	-		Kshs	Kshs
	-			
1	FENCING AND GATE	PG 1		
2	LEVELLING AND GOAL POSTS	PG 1		
3	PROVISIONAL SUMS	PG 1		
4	SUB-TOTAL			
5	ADD 16% V.A.T			
	TOTAL TENDER AMOUNT CARRIED TO FORM OF TENDER.....			

NAME OF TENDERER.....

ADDRESS.....

SIGNATURE.....STATUS.....

DATE.....

NAME OF WITNESS.....

ADDRESS.....

SIGNATURE.....

DATE.....

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	<u>FENCING AND GATE</u>				
	<u>Chain Link & STRAINING WIRE</u>				
A	2400mm High 14 Gauge chainlink fence fixed on posts (m.s) at 2000mm centres complete with and including Eight strands straining wire to approval	420	L.M		
B	Cedar posts of 2400mm high including 300x300 x 600mm deep plain concrete class 25 including all necessary excavations	210	NO		
C	Extra Over cedar posts for straining posts with one strut	13	NO		
D	Ditto with two struts	8	NO		
	<u>Gate Post</u>				
E	300 x300 x2400mm High reinforced concrete class 25 gate post, 350x 350x 75mm saddle-back capping at top and four 12mm x100mm long mild steel hooks and three gate hinges (m.s) cast into post which is fair face finished and emulsion plastic painting and backfill by compacting in layers of 150mm i.e Column base -1200 x 12000mm (post main- column 300x 300x 2400mm high)	3	NO		
	<u>GATE</u>				
	<u>Mild Steel primed Red oxide before fixing and painted afterwards three coats gloss paint</u>				
F	Double leaf gate overall size 5000x 2100mm high each leaf tapering and rising by 1m as they meet with top spikes at 150mm centre in two equal leaves; each leaf comprising 75 x25 x3 mm R.H.S framed two 75x 25 x3mm middle rails and 25x 25 x3mm R.H.S vertical members welded to rails and frame at 75mm centres and plugged top and bottom each leaf hang on gate posts (m.s) on three purpose made heavy duty hinges with brass bush set in and proved with 2NO. 750mm long drop barrel bolt and brass castor including 1200mm diameter 16Gauge mild steel sheet on both sides on each leaf	1	NO		
G	Single leaf pedestrain gate overall 1200 x2100mm high comprising 75 x25 x3mm R.H.S framing all round; two 75x 25 x3mm middle rails and 25x 25 x3mm R.H.S vertical members welded to rails and frame at 75mm centres; the whole hung on 3NO. purposes made heavy duty hinges with brass bush and provided with locking devices and one 200mm long drop bolt	1	NO		
FOR FENCING AND GATE CARRIED TO GRAND SUMMARY					